

INSTRUCTIONS FOR SUBMITTING BID PROPOSALS

- 1) FILL OUT THE INVITATION TO BID FORM COMPLETELY. YOU MAY LIST YOUR INFORMATION ON THE INVITATION TO BID FORM OR INCLUDE INFORMATION ON A SEPARATE SHEET, AS NEEDED.
- 2) **SIGN & NOTARIZE THE AFFIDAVIT ON THE BACK OF THE INVITATION TO BID FORM AND COMPLETELY FILL OUT INFORMATION.**
- 3) **SIGN & NOTARIZE** ALL AFFIDAVITS: A. AFFIDAVIT FOR CONTRACTS AND PAYMENTS (over \$25,000) and B. STATEMENT OF NON-COLLUSION ON BIDS.
- 4) **CLEARLY IDENTIFY OUTSIDE OF SEALED ENVELOPE AS FOLLOWS:**

BID # 2026-6 SIX MONTH'S BID

- 5) FILE BID PROPOSAL WITH THE KIOWA COUNTY CLERK, EITHER BY MAIL OR IN PERSON, BEFORE 10:00 A.M. ON **JUNE 15, 2026**. BIDS WILL BE OPENED ON OR AFTER THAT DATE.
- 6) ALL FORMS MUST BE FILLED OUT COMPLETELY. ANY INCOMPLETE FORMS WILL RESULT IN REJECTION OF THE BID, AS THE BOARD OF COUNTY COMMISSIONER'S CONSIDERS SUCH ACTION TO BE IN THE INTEREST OF THE COUNTY.
- 7) THE MAILING ADDRESS OF THE KIOWA COUNTY CLERK IS AS FOLLOWS:
NIKKI DODD, KIOWA COUNTY CLERK/ RAEGAN SHORT, PURCHASING AGENT
P.O. BOX 73
HOBART, OK 73651
- 8) ALL BID INFORMATION SHALL BE TYPEWRITTEN OR LEGIBLY WRITTEN IN INK. ALL CORRECTIONS SHALL BE INITIALED BY THE PERSON SIGNING THE INVITATION TO BID FORM.
- 9) IF YOU HAVE ANY QUESTIONS CONCERNING THE BID SPECIFICATIONS, PLEASE CONTACT THE FOLLOWING (AS APPLIES TO SPECIFIC BID.)

NIKKI DODD, KIOWA COUNTY CLERK/ RAEGAN SHORT, PURCHASING AGENT
(580) 726-5286

COMMISSIONERS OFFICE 580-726-3377

DISTRICT # 1 COMMISSIONER REEDER REESE, CURTIS STUBBS, FOREMAN-BARN 580-347-2586
DISTRICT # 2, COMMISSIONER, BRENT STRAUB, REED GOUGH, BRETT FLINN FOREMAN-BARN 580-846-9023
DISTRICT # 3, COMMISSIONER, GARY JENNINGS, LEE HORTON, FOREMAN-BARN 580-569-2550

FOR QUESTIONS CONCERNING DEADLINES AND BID RESULTS, CALL: NIKKI DODD

NOTE:

BID PROPOSALS WHICH DO NOT INCLUDE THE INVITATION TO BID FORM AND THE AFFIDAVIT FOR CONTRACTS AND PAYMENTS WILL BE REJECTED AS INCOMPLETE. ALL BID PROPOSALS, WHICH CONTAIN FORMS, WHICH DO NOT HAVE ALL REQUIRED SIGNATURES, AND NOTARIZATIONS WILL ALSO BE REJECTED. ANY BID RECEIVED AFTER BID CLOSING DATE AND TIME WILL BE REJECTED. ANY BID OPENED IN ERROR, DUE TO BEING IN AN UN-MARKED OR ELIGIBLY MARKED CONDITION, WILL BE RENDERED NULL AND VOID.

NO EXCEPTIONS WILL BE MADE

COUNTY PURCHASING OFFICE

Kiowa County Court House
 Hobart, Oklahoma
 Phone Number +1 (580) 726-5286

Invitation to Bid

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE
 RELATING TO SUBMISSION OF THIS BID.
 Notarized Affidavit completions and signature required on reverse side.

Date Issued Jun 1, 2026
 Page 1 of 4

BID NUMBER **BID CLOSING DATE AND HOUR** **REQUIRED DELIVERY DATE**

TERMS **Date of Delivery**

(Days after award of Purchase Order)

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
			SIX MONTH'S BID SEE ATTACHED BID SPECIFICATION		
THE BOARD OF COUNTY COMMISSIONER'S HAS THE RIGHT TO REJECT ANY AND ALL BIDS					

TERMS and CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, _____ Kiowa County Courthouse, Hobart _____, Oklahoma, at the time and date shown on the invitation to bid form.

2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.

3. Unit prices will be guaranteed correct by the bidder.

4. Firm prices will be F.O.B. destination.

5. Purchases by _____ Kiowa _____ County, Oklahoma, are not subject to state or federal taxes.

6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.

7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.

8. Bids will be firm until 12/31/26 _____ (Date)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say the he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity, quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day of _____, 20 _____ (SEAL)

Firm: _____

My commission expires _____ Signed by: _____

(Manual Signature of Undersigned)

Address: _____

Phone: _____

Zip: _____

NOTARY PUBLIC (CLERK OR JUDGE)

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.

AFFIDAVIT FOR CONTRACTS AND PAYMENTS

STATE OF OKLAHOMA)
) ss
COUNTY OF)

THE UNDERSIGNED (ARCHITECT, CONTRACTOR, SUPPLIER OR ENGINEER), OF LAWFUL AGE, BEING FIRST DULY SWORN, ON OATH SAYS THAT THIS INVOICE OR CLAIM IS TRUE AND CORRECT. AFFIANT FURTHER STATES THAT THE (WORK, SERVICES OR MATERIALS) WILL BE (COMPLETED OR SUPPLIED) IN ACCORDANCE WITH THE PLANS, SPECIFICATIONS, ORDERS OR REQUESTS FURNISHED THE AFFIANT. AFFIANT FURTHER STATES THAT (S)HE HAS MADE NO PAYMENT DIRECTLY OR INDIRECTLY TO ANY ELECTED OFFICIAL, OFFICER OR EMPLOYEE OF THE STATE OF OKLAHOMA, ANY COUNTY OR LOCAL SUBDIVISION OF THE STATE, OF MONEY OR ANY OTHER THING OF VALUE TO OBTAIN PAYMENT OF THE INVOICE OR PROCURE THE CONTRACT OR PURCHASE ORDER.

(CONTRACTOR, ARCHITECT, SUPPLIER, OR ENGINEER)

By _____

ATTESTED TO BEFORE ME THIS _____ DAY OF _____, 20 _____

KIOWA COUNTY

NOTE: BIDS ACCEPTED SUBJECT TO LOWEST PRICE, AVAILABILITY AND PROJECT SITE
Open JUNE 15, 2026 @ 10:00 a.m.
BIDS PUBLISHED JUNE 4th, 2026

DATE: JULY 1, 2026 THRU DECEMBER 31, 2026

VENDOR

Stay in Place Forming-Per Sq. Ft.
22 Gauge

26 Gauge

VENDOR

Rebar - Tested
Bid per LB. in 20' stick

3/8"

1/2"

5/8"

3/4"

1"

Rebar - Non-Tested
Bid per LB in 20' stick

3/8"

1/2"

5/8"

3/4"

7/8"

1"

VENDOR

New Pipe Piling-Per Foot

7" .500 Wall or Better

7 5/8" .500 Wall or Better

7 3/4" .500 Wall or Better

8 5/16" .500 Wall or Better

8 5/8" .500 Wall or Better

9 5/8" .500 Wall or Better

9 5/8" .400 Wall or Better

10 3/4" .500 Wall or Better

12 5/8 .500 Wall or Better

9" .400 Wall or Better

9" .500 Wall or Better

VENDOR

Used Pipe Piling-Per Foot

7" .500 Wall or Better

7 5/8" .500 Wall or Better

7 3/4" .500 Wall or Better

8 5/16" .500 Wall or Better

8 5/8" .500 Wall or Better

9 5/8" .500 Wall or Better

10 3/4" .500 Wall or Better

12 5/8 .500 Wall or Better

9" .400 Wall or Better

VENDOR

Structural Steel-Per Pound

New

Used

New Secondary

VENDOR

Plate Steel - Per Pound

New

Used

VENDOR

Guard Rail - per foot

New

Used

VENDOR

Guard Rail Posts - per unit

New

Used

ARCHED CORRUGATED STEEL PIPE

2 2/3" X 1/2" Corrugation				
Round Equiv.				
16 Gauge				
15" 17" X 13"				
18" 21" X 15"				
21" 24" X 18"				
24" 20" X 20"				
30" 35" X 24"				
14 Gauge				
36" 42" X 29"				
42" 49" X 33"				
12 Gauge				
48" 47" X 38"				
54" 64" X 43"				
3" X 1" Corrugation				
Round Equiv.				
14 Gauge				
36" 40" X 31"				
42" 46" X 35"				
48" 53" X 41"				
54" 60" X 46"				
60" 66" X 51"				
66" 73" X 55"				
72" 81" X 59"				
78" 87" X 63"				
84" 95" X 66"				
12 Gauge				
84" 95" X 66"				

Used Steel Pipe

Size	Wall Thickness			
2"	3/16" or Better			
8"	3/16" or Better			
8"	1/4" or Better			
10"	3/16" or Better			
10"	1/4" or Better			
12"	3/16" or Better			
12"	1/4" or Better			
14"	3/16" or Better			
14"	1/4" or Better			
16"	3/16" or Better			
16"	1/4" or Better			
18"	3/16" or Better			
18"	1/4" or Better			
20"	3/16" or Better			
20"	1/4" or Better			
22"	3/16" or Better			
22"	1/4" or Better			
24"	3/16" or Better			
24"	1/4" or Better			
26"	3/16" or Better			
26"	1/4" or Better			
28"	3/16" or Better			
28"	1/4" or Better			
30"	3/16" or Better			
30"	1/4" or Better			
32"	3/16" or Better			
32"	1/4" or Better			
34"	3/16" or Better			
34"	1/4" or Better			
36"	3/16" or Better			
36"	1/4" or Better			
42"	3/16" or Better			
42"	1/4" or Better			
48"	3/16" or Better			
48"	1/4" or Better			
54"	3/16" or Better			
54"	1/4" or Better			
60"	3/16" or Better			
60"	1/4" or Better			
66"	3/16" or Better			
66"	1/4" or Better			
72"	1/2" or Better			
78"	1/2" or Better			
84"	1/2" or Better			
90"	1/2" or Better			
96"	1/2" or Better			
102"	1/2" or Better			
108"	1/2" or Better			
114"	1/2" or Better			
120"	1/2" or Better			
126"	1/2" or Better			
132"	1/2" or Better			
138"	1/2" or Better			
144"	1/2" or Better			

Corrugated Polyethylene and Polypropylene Culvert Pipe				
Measurement of Pipe must be Inside Diameter Measurement Pipe must conform to ODOT Specs for Hwy Const. Pipe & couplings must conform to AASHTO spec M294, M252, M330 & be available in bell & spigot & plain end.				
Note: Couplers will be awarded with low bid on pipe				
VENDOR				
4" Corrugated HDPE Pipe (AASHTO M252)				
Coupler				
8" N-12 pipe				
Coupler				
8" Corrugated HDPE Pipe (AASHTO M252)				
Coupler				
10" N-12 pipe				
Coupler				
10" Corrugated HDPE Pipe (AASHTO M252)				
Coupler				
12" N-12 pipe				
Coupler				
12" Corrugated HDPE Pipe (AASHTO M294)				
Coupler				
12" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
15" N-12 pipe				
Coupler				
15" Corrugated HDPE Pipe (AASHTO M294)				
Coupler				
15" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
18" N-12 pipe				
Coupler				
18" Corrugated HDPE Pipe (AASHTO M294)				
Coupler				
18" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
21" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
24" N-12 pipe				
Coupler				
24" Corrugated HDPE Pipe (AASHTO M294)				
Coupler				
24" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
30" N-12 pipe				
Coupler				
30" Corrugated HDPE Pipe (AASHTO M294)				
Coupler				
30" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
36" N-12 pipe				
Coupler				
36" Corrugated HDPE Pipe (AASHTO M294)				
Coupler				
36" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
42" N-12 pipe				
Coupler				
42" Corrugated HDPE Pipe (AASHTO M294)				
Coupler				
42" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
48" N-12 pipe				
Coupler				
48" Corrugated HDPE Pipe (AASHTO M294)				
Coupler				
48" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
60" Corrugated HDPE Pipe (AASHTO M 294)				
Coupler				
60" Corrugated Polypropylene Pipe (AASHTO M330)				
Coupler				
DELIVERY LEAD TIME TO JOBSITE(COUNTY BARN OR JOBSITE)				

